

POULTRY

FEED SUPPLEMENTS

Higher
Productivity

Better
Profitability



India's Leading Manufacturer and Exporter of
Premium Quality Poultry Health Care Specialities with
INTERNATIONAL STANDARDS



Manufactured by:

**international
BIOLOGICALS**

ISO 9001 : 2008

Corp Off: D.No.40-9-60, Kohinoor Apartments,
Kalanagar, Benzcircle, Vijayawada-520010,
AP, INDIA Cell : +91 9440159127
E-mail: intbio2000@yahoo.com

BESTART

To Fulfill the NEED of
Vitamins & Amino Acids
requirement

Composition:

Each 100 ml. contains

Vitamins

Qty.	
Vitamin A	:2,50,000 IU
Vitamin D3	:5,000 IU
Vitamin E	:0.37 gm.
Vitamin K3	:25 mg.
Pyridoxine	:0.2 gm.
Riboflavine	:0.4 gm.
Thiamine	:0.35 gm.
Dexpantenol	:1.5 gm.
Vitamin B12	:1.0 mg.

Amino Acids

Qty.	
Methionine	:0.5 gm.
Choline	:40 mg.
Lysine	:0.25 gm.
Histidine	:90 mg.
Arginine	:49 mg.
Aspartic acid	:0.15 gm.
Threonine	:50 mg.
Serine	:70 mg.
Glutamic acid	:0.15 gm.
Proline	:50 mg.
Glycine	:60 mg.
Alanine	:100 mg.
Cystine	:15 mg.
Valine	:0.10 gm.

Vitamins & Amino Acids Solution

Leucine	:0.15 gm.
Isoleucine	:12 mg.
Tyrosine	:35 mg.
Phenylalanine	:80 mg.
Tryptophane	:7.5 mg.
Biotin	:0.20 mg.
Inositol	:0.30 mg.
Yeast extract	:250 mg.

Indications:

- Prevent and correct avitaminosis and malnutrition.
- Helps to reduce mortality.

- Works as supportive therapy in state like Moulting, Anorexia, Fatty Liver, Early chick mortality etc.

Dosage:

- Broiler : 1 ml./litre of drinking water - 5-7 days.
- Layer : 2 ml./litre of drinking water - 5-7 days.
- Breeder : 3 ml./litre of drinking water - 5-7 days.

Presentation: 1 ltr.



PROMIGROW

Growth Promoter & Performance Booster

Composition :

Each 30 ml. contains

Protein hydrolysate	: 5.0 gms.
DL Methionine	: 2.53 gms.
L-Lysine	: 1.36 gms.
Inositol	: 120 mg.
Vitamin B12	: 100 mcg.
Vitamin E	: 25 mg.
Yeast Extract	: 250 mg.
Choline Chloride	: 1250 mg.
Sodium	: 2.7 gm.
Manganese	: 1.65 gm.
Zinc	: 0.68 gm.
Copper	: 45 mg.
Iron	: 0.23 gms.
Iodine	: 22.5 mg.
Cobalt	: 25 mg.
Selenium	: 10 mg.

Benefits :

Layers :

- Improves egg size & egg production.
- Increases growth & disease resistance.
- Avoids cannibalism & falling of feathers.

Broilers :

- Increases growth & body weights.
- Avoids weakness & lameness.
- Improves muscle strength & disease resistance.

Breeders :

- Improves body weights & egg production.
- Increases fertility & hatchability.

Dosage:

- Poultry - 7 days in each month.
- Layers : Chicks, Growers : 10 ml. / 100 birds.
- Layers : 20 ml. per 100 birds
- Broilers & Breeders : 20-30 ml./100 birds.

Presentation:

500 ml., 1000 ml., 5 ltrs



E PLUS (LIQUID / POWDER)

Composition:

Each 100 ml. contains:

Vitamin E	: 2500 mg
Selenium	: 10 mg
Biotin	: 20 mg
Folic acid	: 20 mg
Excipients	: Q.S.

Benefits:

- Enhances the immunity.
- Protects the birds completely by making the vaccines to function well.
- Maintains optimum health, growth, Egg productions, fertility, hatchability, etc.

Dosage:

Per 100 birds - 5-7days

Chicks & Broiler starters : 5 ml

Growers, Layers, Broiler finishers : 10 ml

Breeders : 20 ml

Presentation :

Liquid : 1000 ml.

Powder : 200 gm tin, 1kg Pouch



B-VIT-LM

B-Complex Vitamins

Composition:

Each 10 ml. contains

Vitamin B1	: 8.0 mg.
Vitamin B2	: 2.5 mg.
Vitamin B6	: 1.25 mg.
Vitamin B12	: 12 mcg.
Niacinamide	: 75 mg.
L-Lysine	: 10 mg.
DL Methionine	: 10 mg.
Choline chloride	: 10 mg.
Cobalt	: 10 mg.
Digestive enzymes	: Q.S.


Benefits :

- Relieves from stress caused due to deworming, debeaking, vaccinations, climatic disturbances, transportation etc.
- Ensures full potency of essential B vitamins.
- Prevents nutritional disorders, early chick mortality, pecking & cannibalism.
- Promotes growth, skeletal and muscular strength.
- Improves general health, egg production, feathering etc.

Dosage : 5 - 7 days

- Routine use : 20 ml. per 100 birds
- High Stress Conditions : 50 ml. per

Presentation : 1000 ml., 5 ltrs. 100 birds



A-VIT

Composition :

Each ml contains:

Vitamin A : 1,00,000 IU

Benefits :

- Covers Vitamin A deficiencies and related symptoms and lesions
- Maintains optimum health and immunity.
- Relieves from stress and provides additional strength to tolerate additional stress.
- Helps to maintain stable egg productions with higher peaks in layers.

- Helps to obtain fast growth and more body weights in broilers.
- Improves fertility and hatchability in breeders.

Dosage :

Per 100 Birds : 5-7 days

Chicks & Broiler starters : 5ml

Growers, Layers &

Broiler Finishers : 10ml

Breeders : 10-20ml

(or) As advised by a veterinarian.

Presentation : 500 ml., 1000 ml., 5 ltrs



D₃-CALPHOS

Composition :

Each 100 ml contains

Calcium Lactate IP : 1250 mg.

Calcium

Gluconate IP : 1000 mg.

Calcium Phosphate

Tribasic : 800 mcg

Vitamin D₃ : 2500 I.U

Vitamin B₁₂ : 50 mcg.

Choline Chloride : 1000 mg.

Protein hydrolysate : 500 mg.

Improves : bone & muscle strength, egg productions, disease resistance, growth, body weights etc.

Dosage :


5 - 7 days per 100 Birds

Chicks & Growers : 10-20 ml.

Layers : 20-30 ml.

Broilers : 20-30 ml.

Presentation: 1 ltr., 5 ltrs



D₃-CALPHOS-DS (LIQUID / POWDER)

COMPOSITION:

Powder :

Each 100ml / 100 gms. contains

Organic Calcium : 2500 mg

Organic Phosphorus : 2000 mg

Vitamin D₃ : 20000 mg

Vitamin B₁₂ : 150 mcg

Zinc chloride : 100 mg

Magnesium citrate : 500 mg

Choline chloride : 1000 mg

Protein hydrolysate : 500 mg

Commiphora wightii : Q.S.

Sida cordifolia : Q.S.

Terminalia arjuna : Q.S.

Stabilisers : Q.S.

BENEFITS:

- Better utilization of calcium and phosphorus.

Special Calcium Supplement

- Prevents leg weakness, lameness, osteomalacia, perosis, egg breakages, breakages, thin shelled eggs, rough shelled eggs.
- Increases growth, body weight and bone strength in broilers.
- Increases egg size, egg quality and egg production in layers.
- Increases hatchability in breeders.
- Prevents cage layer fatigue, prolapse, pecking, cannibalism etc.

INDICATIONS:

- Legs weaknesses, lameness
- Poor growths
- Egg breakages, rough shelled eggs, thin shelled eggs
- Production drops

- Poor feathering
- Poor hatchability
- Pecking and cannibalism
- Cage layer fatigue
- Prolapse etc.

DOSAGE :

Powder :

250 gm / ton of feed continuously.

During risk conditions : 500gm-1kg. /ton

of feed Liquid : 5-7 days

Layers :

Chicks & Growers: 10-20ml./100 birds.

Layers : 25-50 ml. / 100 birds.

Broilers : Starters : 10-20 ml. / 100 birds.

Finishers : 25-50 ml. / 100 birds.

(or) as advised by a Veterinarian.

Presentation :

Powder: 1kg tin. Liquid : 1 ltr, 5 ltrs.



STRESSVIT

Composition :

Each 5ml. contains

Vitamin A : 2,50,000 IU

Vitamin D₃ : 25,000 IU

Vitamin E : 150 mg

Vitamin C : 500 mg.

Benefits :

1.Highly useful in the following stress condition

- Vaccination
- Debeaking
- Deworming
- Handling
- Transportation
- Disease
- Climatic disturbance etc.

2.Improves egg production in layers.

Vitamins AD₃EC Premix

3.Increases growth & body weight in broilers.

Indications :

- Chicks arrival time
- All stress causing times.
- Any disease outbreaks
- Poor growths
- As a performance booster

Dosage : 7-10 days

Chicks & Broilers starters :

3ml / 100 birds

Growers, Layers & Broilers finishers :

5-10 ml / 100 birds

Presentation :

500 ml., 1000 ml. & 5 ltrs



MORE EGG

Composition:

Chromium, yeast complex, special selective herbs and chelated minerals in suitable proportions.

Main Functions :

- Enhances insulin function and optimizes reproduction cycle for daily egg production.
- Stimulates ovaries and helps for un interrupted ovulation.
- Improves the contents of yolk and albumen in the egg for good size eggs.
- Helps for more strong shells than

for Higher & Constant Egg Productions

- normal shells of egg.
- Improves digestion and utilization of nutrients.

Breeders : 1kg / ton of feed continuously.

Presentation: 1kg pouch & 25 kg. bag

Benefits : LAYERS

- Improves egg production to its maximum.
- Maintains peaks for longer periods.
- Improves egg size and egg quality.
- Better health, better FCR and better profits.

Dosage :

Commercial layers : 500 gms / ton of feed continuously.



BREEDON

Composition:

Breedom is a highly specialized formulation with special selective herbs having the functional ability of enhancing breeding performance.

For Better Fertility & Hatchability Animal Feed Supplement

Dosage:

Male Breeders: 50-60 gm / 100 birds
5- 7 days every month (or) as advised by a veterinarian.

Presentation: 1 kg pouch

Benefits:

- Increases sexual mode
- Helps for better sperm quantity and quality.
- Increases fertility and hatchability.
- Participate in sexual actions more frequently.



ELECTROPRO

Electrolyte Supplement

Composition :

Each kg. Contains
Sodium Chloride : 10,000 mg.
Calcium Lactate : 12,000 mg.
Calcium Glucanate : 12,000 mg.
Sodium Bicarbonate : 30,000 mg.
Sodium Citrate : 60,000 mg.
Ascorbic acid : 10,000 mg.
Potassium chloride : 30,000 mg.
Magnesium sulphate : 10,000 mg.
Elemental sodium : 10,000 mg.
Elemental potassium : 30,000 mg.
Dextrose
Monohydrate upto : 1000 gms.
Lactic acid bacillus : Q.S

Benefits :

- Very much helpful in the following conditions:
 - Heat stress
 - Dehydration
 - Disease
 - Transportation
 - Vaccinations
 - Debeaking
 - Deworming
 - Production slumps etc.
- Provides instant energy and makes the birds active.

Indication :

- As an energy booster
- During antibiotic therapy
- During all stress conditions mainly in summer.

Dosage :

In drinking water : 7-10 days. 1 gm. per 2 ltrs. of drinking water
In feed : 1kg. per ton

Presentation : 1 kg.



GROW-SUPER

Multi Vitamins & Minerals (WSP)

Composition: Each 250 gm contains:

Vitamin B2 : 1 gm
Vitamin B6 : 620 mg
Vitamin B12 : 600 mcg
Niacin : 12.5 gm
Calcium Pantothenate : 1.25 gm
Vitamin C : 1 gm
Vitamin E : 500 mg
Iron : 200 ppm
Copper : 1.5 ppm
Cobalt : 2.5 ppm
Manganese : 100 ppm
Magnesium : 30 ppm
Iodine : 5 ppm
Zinc : 35 ppm

Molybdenum

: 2 ppm

Selenium

: 0.2 ppm

Amino Nitrogen

: 50 ppm

Excipients

: Q.S.

BENEFITS:

- Improve anabolism effect which helps to increase fat and protein metabolism.
- Initial feed supplement for chicks for proper and faster growth.
- Improve resistance power to diseases.
- Helps to reduce all kinds of stress.
- Acts as a performance enhancer to

achieve optimum results in broiler, layer and breeder.

- Increase weight gain in commercial broilers.
- Improve egg production in commercial layers.
- Improve fertility and hatchability.

DOSAGE:

Chicks : 5-10 gm / 500 birds
Growers, Broilers, Layers & Breeders : 20-50 gm/100 birds (Or) as advised by a Veterinarian.

Presentation : 25 gm.



MALTRON-IB

Composition: Each 21 gm contains :

Malt Extract	: 4.52 g
Calcium Gluconate	: 360 mg
Ferric Ammonium Citrate	: 300 mg
(Equivalent to 64.5 mg Fe)	
Copper Sulphate	: 100 mg
Cobalt Chloride	: 1.5 mg
Cholecalciferol	: 3600 IU
(Stabilized Vitamin D ₃)	
Niacinamide	: 45 mg
Biotin	: 75 mcg
Folic Acid	: 1.5 mg
Cyanocobalamin	: 15 mcg
(Vitamin B ₁₂)	
Flavoured Base	: Q.S

Malt Based Vitamins, Iron, Copper & Calcium Supplement for Poultry & Live Stock

INDICATIONS:

- Anaemia, General debility, Stunted growth, Iron deficiency, Rickets & Osteomalacia, Anorexia, Lactation stress, Egg breakage, Supportive therapy during diseases etc.

DOSAGE:

Poultry :

Layers : 20 gm per 100 birds daily
Broilers: 20 gm per 100 birds daily

Livestock :

Cattle, Buffaloes & Horses:
30-50 gm daily.
Calves, Sheep & Goats :
10-15 gm daily.

Camel :

10 gm per 100 kg body weight daily.
Swine : Adult : 25-30 gm daily.
Grower : 5-10 gm daily. (or) as directed by a veterinarian.

Presentation : 450 gm.



IB-LACT-WSP

COMPOSITION:

Each kg. contains
Lactobacillus acidophilus
Lactobacillus bulgaricus
Lactobacillus Casei
Lactobacillus reuteri
Lactobacillus Lactis
Streptococcus faecium
Aspergillus oryzae
Sacharomyces cervisiae
Strength:
32 billions for 100 gm of lactoplus.

BENEFITS:

- Improves feed conversion ratio (FCR)
- Prevents bacterial disease outbreaks.

Highly Concentrated Water soluble Probiotic Supplement

- Avoids loose droppings.
- Litter quality improves with low levels of nitrogen and ammonia
- Increases survival rate
- Helps to gain more body weight in broilers.
- Helps to yield more eggs in layers.
- Reduces medicinal expenditure.

INDICATIONS:

- As routine probiotic feed additive.
- For uninterrupted growth, body weight, egg quality, egg production.
- For better quality manure.
- As a performance booster.

DOSAGE:

Water Soluble Grade
In water : 20 gm. / 1000 birds,
Poultry feed : 100 gm. / ton of feed
(or) as advised by a veterinarian.

Also Available

LACTOPLUS SUPER 500 Billion / kg

Presentation :

100 gm., 500 gm., & 1 kg. TIN



BOULARDI-CARE (LIQUID / POWDER)

COMPOSITION:

"BOULARDI-CARE" is a specialized Probiotic preparation, containing Sacharomyces boulardii added with B.Subtilis.

STRENGTH : 2 x 10⁹ cfu

BENEFITS:

- Sacharomyces boulardii is used to help colonize the gastrointestinal tract with healthy flora.
- It used to prevent and treat diarrhea caused by the non specific origin or use of antibiotics.
- S. boulardii has ability to bind and flush out pathogens such as E. coli and Salmonella, thus it inhibits

Sacharomyces Boulardi

the growth of pathogenic bacteria.

- S. boulardii has an anti-inflammatory properties, which helps to maintain gut health in Inflammatory Bowel Disease or Irritable Bowel Syndrome.
- It prevents various digestive disorders.
- Improves growth and performance in all birds. Improves feed efficiency and weight gain in commercial broilers.
- Helps to optimize egg production and persistency in commercial layers.

DOSAGE :

Liquid : in drinking water:
Poultry : 1 ml per 1 ltr drinking water for 7 days in each course (or) as advised by a veterinarian.

Powder : In poultry feed:

Layers & Broilers : 250-500 gm/ metric ton of feed Breeders : 500 gm /metric ton of feed (or) as advised by a veterinarian.

Presentation :

1 Ltrs., 5 Ltrs. & 1 kg., 25 kg



HERBOLYTE-C (LIQUID / POWDER)

COMPOSITION:

"HERBOLYTE-C" is a special formulation prepared from special selective herbs which are rich source of natural Vitamin C fortified with Electrolytes.

BENEFITS:

- Helps to increase the disease resistance power.
- Helps to relieve the birds from stress factors.
- Helps to increase the health & immunity in Layers, Broilers & Breeders.

Natural Vitamin C with Electrolytes

- Helps to maintain & increase egg production in layers.
- Helps to increase the fertility and hatchability in breeders.

DOSAGE :

Liquid :
1 ml./litre of water 5-7 days
(or) as advised by a veterinarian.

Powder :

Poultry Feed: 100 -150 gm / Metric ton of feed 7-10 days each time
(or) as advised by a veterinarian.

Presentation :

250 ml., 500 ml., 1 Ltr., 5 Ltr.,
1 kg., 5 kg.



BROILER-GAIN (LIQUID / POWDER)

Composition :

Each kg/litre contains:
Sacchromyces boulardii
Streptococcus faecium
Lactobacillus acidophilus
Lactobacillus casei
Bifidobacterium bifidum
Torulopsis spp
Haematococcus pluvialis
Excipients

BENEFITS:

- BROILER-GAIN improves weight gain & meat quality in broilers.

Broilers Special Biological Growth Promoter

- BROILER-GAIN improves the tenderness & juice of the meat.
- BROILER-GAIN provides attractive & appetizing colour to the meat.
- BROILER-GAIN helps for better FCR.
- BROILER-GAIN improves Protein, Ash & Moisture percentage in the meat of leg & breast portion.
- BROILER-GAIN effectively maintains gut health, which helps to improve digestion & nutrient absorptions.

DOSAGE:

Liquid :
1ml/1ltr drinking water for 7 days.
(or) as advised by a Veterinarian.
Powder :
In poultry feed : 500 gm per 1 ton of feed
(or) as advised by a Veterinarian.

Presentation :

1 Ltr., 5 Ltr., & 1 kg., 5 kg.



BIRDCURE-IB

COMPOSITION :

Each ltr contains :
Illicium verum extract
Cedrus deodara extract
Glycyrrhiza glabra extract
Terminalia arjuna extract
Ocimum sanctum extract
Azadirachta indica extract
Excipients: Q.S.

BENEFITS :

- Acts as a best supportive therapy during bird flu outbreak in poultry.
- Strengthens immune system & disease resistance power against bird flu and other bacterial and viral diseases.
- Helps in elimination of various disease causing pathogens.

Herbal Immunomodulator- Supportive Therapy for Bird flu

- Improves general health condition & performance.
- Improves survivability by reducing the mortality during various viral outbreaks including bird flu.
- Can be used as a supportive therapy for rapid recovery in all infections / diseases and disease outbreak.

Presentation : 1 Ltr., & 5 Ltr.

DOSAGE :

Poultry Oral administration:
As an Immunomodulator & Bird flu preventer : 1 ml / 1 ltr drinking water
During Bird flu outbreak : supportive therapy to reduce the mortality:
2 ml / 1ltr drinking water (Or) as advised by a Veterinarian.



ESENOL-G

COMPOSITION :

Each ltr contains
Allium sativum (Garlic) extract
Thymus vulgaris extract
Origanum vulgare extract
Ocimum sanctum extract
Piper nigrum extract
Phyllanthus emblica extract
Eucalyptus globulus extract
Mentha spicata extract

BENEFITS :

- Improve gut health and digestive functions.
- Prevent gut pathogens & avoid infections.
- Improve respiratory functions & prevents diseases.

Essential oil and garlic extract for gut & respiratory health

- Improve liver functions & feed digestion.
- Improve immune system & keep bird healthy.
- Helps to improve weight gain & FCR in broilers.
- Helps to optimize egg production in layers.
- Keep bird healthy & active to perform well.

Presentation :

1 Ltr., & 5 Ltr.

DOSAGE :

Oral administration.
Poultry : 1 to 2 ml per 5 liters of drinking water for 10 days (Or) as advised by Veterinarian.



TOXISIL-LIQUID

Composition: Each 100 ml. contains

Copper sulphate : 10.00%
Glacial Acetic Acid : 2.00%
Propionic Acid : 2.00%
Phosphoric Acid : 1.00%
Choline Chloride : 0.05%

BENEFITS :

- Acts well on toxins and moulds.
- Controls the pathogenic bacteria in the gut.
- Decreases the chances of disease outbreaks.
- Increases the quality of water by reducing pH.

Broad Spectrum Mould Inhibitor Cum Toxin Binder

- Helps for stimulation of liver, better digestion, absorption of nutrients.
- Helps to increase renal function and purity of blood.
- Helps to increase egg production in layers.
- Helps for fast growths and more body weights in broilers.

Presentation : 1 Ltr., & 5 Ltr.

DOSAGE : Poultry :

in drinking water : 1ml./1litre of water
5-7 days each month.
in feed : 250-500 ml/metric ton of feed continuously.



INTAKER-IB

COMPOSITION :

Natural Multi Vitamins, enzymes added with fishy flavour.

BENEFITS :

- INTAKER-IB is a best feed attractant, provides rich fishy odour and makes sure of consuming enough feed.
- INTAKER-IB supplements natural vitamins and free fatty acids which makes sure of good health & immunity
- INTAKER-IB helps the broilers for faster growth and higher body

Feed Attractant & Performance Booster

weights.

- INTAKER-IB helps the layers for reaching higher peaks and better egg production.
- INTAKER-IB helps the breeders to produce its maximum performance.
- INTAKER-IB prevents un even sizes, poor growth, culls formations etc.
- INTAKER-IB can be given continuously for continuous & nonstop performance.

DOSAGE :

Poultry feed :
500 ml. / ton of feed continuously
(or) as advised by a veterinarian.

APPLICATION:

Pour recommended quantity of INTAKER-IB in the feed-mixture itself, during preparation of feed for better mixing.

Presentation :

100 ml., 1 Ltr., 5 Ltr & 20 Ltr



IB-TOXPRO

COMPOSITION:

Each kg contains
Bioactive metabolites
Rhodococcus erythropolis
Pseudomonas fluorescens
Lactobacillus rhamnosus
Saccharomyces cerevisiae
Trichosporon mycotoxinovorans
Trichoderma viride
Epoxidase
Lactonohydrolase
MOS
Organic acids
HSCAS

BENEFITS :

- "IB-TOXPRO" is an innovative biological toxin destroyer, it

Innovative Biological Toxin Destroyer & Growth Promoter

contains bioactive metabolites, probiotics and enzymes with organic acids.

- Bioactive metabolites extracted from selective probiotic strains which acts as a strong antifungal and antimicrobial, that helps to control fungal growth and toxins
- "IB-TOXPRO" contains selective probiotics, that detoxifies mycotoxins by biotransformation mechanism.
- "IB-TOXPRO" effectively arrests fungal growth and controls further production of mycotoxins.
- "IB-TOXPRO" also helps in proliferation of beneficial gut bacteria & promotes growth when

there are no toxins present in the feed.

- "IB-TOXPRO" improves immunity & digestion.
- "IB-TOXPRO" helps for better egg production in layers.
- "IB-TOXPRO" helps to promote rapid growth in broilers.

DOSAGE :

Poultry : Regular use : 1kg per ton of feed. (Or) as advised by a Veterinarian.

Presentation : 1 kg., & 5 kg.



TOXISIL

Composition :

MOSTOX is a highly specialised formula with Mannan oligo saccharides, Organic acids, Hydrated sodium calcium, Allumino Silicates (HSCAS), Activated Charcoal, Herbal liver stimulants, Bacillus subtilis

Benefits :

- Controls excess moisture in the finished feed.
- Broad spectrum mould inhibitor
- Selective toxin adsorbant & not adsorbs vitamins, minerals and other feed additives.
- No interference with other feed additives.
- Improves liver function and

Broad Spectrum Mould Inhibitor cum Toxin Binder

prevents fatty liver syndromes.

- Prevents the multiplication of pathogenic bacteria in the gut.
- Helps for non interrupted growth and stable egg production.

Indications :

- As a routine toxin binder cum mold inhibitor in feeds.
- During suspected excess moisture in feed.
- During suspected mold growths in feed.
- For uninterrupted performance in terms of growth, egg production etc.

Dosage :

Routine use :
500 gm - 1kg. / ton of feed.
During risk conditions like excess moisture, suspected mold growth etc. 2kg / ton of feed (or) as advised by a veterinarian.

Presentation : 25 kg. bag



MIXZYME

Composition :

Each kg. contains

Mixzyme is a highly specialized formula with enzymes like...

Xylanase	: 2,00,000 IU
Pectinase	: 42,500 IU
Cellulase	: 40,000 IU
Phytase	: 40,000 IU
Protease	: 20,000 IU
Amylase	: 20,000 IU
Beta Glucanase	: 20,000 IU
Mannase	: 15,000 IU
Lipase	: 12,500 IU
S.Cervisiae	: 5000 million CFU
L.Acidophilus	: 5000 million CFU

Multi Enzyme Feed Additive

...and beneficial like saccharomyces cervisiae, lactobacillus acidophilus.

Benefits :

1. Helps for
 - Better FCR
 - Better Digestion
 - Better feed utilisation
 - Better health & immunity
 - Better growth & body weight
 - Better egg production
2. Prevents & controls loose droppings.
3. Provides comfort in the gut.

Indications :

- As a routine enzyme feed additive.
- Poor growth
- Lower body weights
- Lower egg productions
- Loose droppings
- To get un interrupted performance

Dosage :

250-500 gm / ton of feed continuously
(or) as advised by a veterinarian.

Presentation: 1kg pouch & 25 kg. bag



BIO ACIFY

Composition:

Specialized formulation with buffered organic acids like lactic acid, formic acid, citric acid, fumaric acid, citrate, elemental copper & essential oils etc in suitable proportions.

Benefits :

- Restores normal gut flora and condition.
- Promotes gut vitality and integrity.
- Increases digestion, absorption and assimilation of nutrients.
- Improves egg production in layers and breeders

Acidifier & Conditioner


- Helps for fast growths and extra body weights in broilers.
- Reduces production costs.

Dosage :

1ml/ litre of water 2 days a week (or) as advised by a poultry consultant.

Presentation :

Liquid: 500 ml., 1000 ml. & 5 ltrs.



GROWLIV

Composition :

Special herbal Liver tonic prepared from selective herbs having functional properties as liver stimulant, correctant and digestant.

Benefits :

- Improves liver function and helps for better digestion.
- Corrects liver disorders like fatty livers.
- Improves feed conversion ratio.
- Increases growth & body weight.
- Helps to increase egg production.
- Maintains optimum health and immunity.
- Highly useful during antibiotic treatments.

Indications :

- Low feed intake
- Lower egg production
- Mycotoxicosis
- Fatty liver disease
- Hepatitis
- Poor growths
- Poor body weights
- For improving feed utilization and feed intake.

Dosage : POULTRY : 7-10 days

Chicks and Broilers starters :

10ml / 100 birds

Growers, Layers & Broiler finishers :

20ml / 100 birds

Breeders : 30 ml / 100 birds.

(or) as advised by a veterinarian

Presentation :

500 ml., 1000 ml., 5 ltrs



CARE CRD

Composition :

Care CRD is a special herbal preparation selected for selective herbs having functional properties as Bronchodilator and Expectorant.

Benefits :

- Birds relaxes from respiratory troubles quickly.
- Highly useful in the treatment of respiratory diseases like CRD, coryza etc as a supportive therapy along with specific treatments.
- Makes to function total respiratory organs with its full capacity.
- Birds relaxed well & takes normal quantity of feed to produce normal results.

Dosage : Per 100 birds :

In drinking water 7-10 days each time.

Chicks, Growers,

Broiler-Starters : 10 ml

Layers & Broiler finishers : 30 ml

Breeders : 40 ml.

(or) As advised by a veterinarian.

Presentation :

500 ml., 1000 ml., 5 ltrs.



CARE CRD-DS

COMPOSITION :

Mixture of the following ingredients :

Eucalyptus Globules

Mentha Piperita

Trychospermum Ammi

Cinnamomum Camphora

Origanum Vulgare

Ginger Officinalis

Syzygium Aromaticum

- Strengthen the respiratory organs to perform well.
- Birds relaxed well and takes normal quantity of feed to produce normal results.

DOSAGE :

Add in drinking water :

Per 100 birds for 7-10 days : 1 ml/5

liter water.

SPRAYING : Twice daily for 3 days :

5-10 ml/ 3 liter of water for 1000 birds.

Presentation : 1 Ltr

BENEFITS :

Antimicrobial
Anyispasmodic
Btochodilater
Antioxidant



NEPHRONIL

Composition:

Each 100ml. contains :
Sodium hydrogen carbonate: 1.5 gm.
Ammonium chloride : 1.0 gm.
Ascorbic acid : 0.5 gm.
Citosodine : 1.0 gm.
Halite : 1.0 gm.
Buffers & stabilizers : Q.S.

Benefits :

- Helps for prevention & treatment of...
 - Visceral Gout
 - Articular Gout
 - Urolithiasis
 - Ascitis

for Prevention & Control of Gout

- Prevents digestive abnormalities.
- Helps for normal functions of kidneys.

Dosage :

Poultry : Drinking water
Preventive use :
1 ml/ 1Liter of water 2-3 weeks
Treatment use :
2 ml/ 1Liter of water 7-10days
(or) as advised by a veterinarian

Presentation:

500 ml., 1000 ml., & 5 ltrs.



TRACEMIN

Composition :

Each kg. contains
Manganese : 60 gms.
Zinc : 55 gms.
Iron : 55 gms.
Cobalt : 500 mg.
Copper : 6000 mg.
Iodine : 1000 mg.
Selenium : 100 mg.
Elemental Chromium : 0.2 gms.

Benefits :

Prevents :
Leg weakness, lameness, loose shell eggs, thin shell eggs, shell breakage, rough shelled eggs, poor feathering, poor hatchability, poor growth, bone deformities etc.

Trace Mineral Concentrate

Improves :

Bone strength, egg quality, egg quantity, growth, body weight, health, activeness, immunity, growth, body weights etc.

Indication :

- As a routine trace minerals feed additive.
- During deficiency symptoms of trace minerals like lameness, leg weakness, poor egg shell quality etc.
- As a performance booster.


Dosage : Routine use :

1kg. / ton of feed.

Risk periods :

Double the dose for 2 weeks later 1kg. / ton continuously (or) as advised by a veterinarian.

Presentation : 25 kg. bag



BIOMIX (Layer Spl.) Vitamin Premix for Layers

Composition :

Each kg. Contains :
Vitamin A : 50 MIU
Vitamin D3 : 14 MIU
Vitamin E : 32 gm
Vitamin K3 : 8 gm
Vitamin B1 : 3.2 gm
Vitamin B2 : 32 gm
Vitamin B6 : 6.4 gm
Vitamin B12 : 0.060 gm
Niacin : 48 gm
Calcium
Pantothenate : 16 gm
Folic Acid : 5.6 gm
Biotin : 0.02 gm

Benefits :

- Covers vitamin deficiencies
- Helps to maintain
 - Optimum Health
 - Immunity
 - Growth
 - Body Weight
 - Egg Production


Indications :

- As a routine vitamin feed additive
- As a performance booster

Dosage :

250gm / ton of feed.
(or) as advised by a veterinarian.

Presentation : 25kg. bag



BIOMIX (Broiler Spl.) Vitamin Premix for Broilers

Composition : Each kg. Contains :

Vitamin A : 50 MIU
Vitamin D3 : 14 MIU
Vitamin E : 120 gm
Vitamin K3 : 8 gm
Vitamin B1 : 8 gm
Vitamin B2 : 24 gm
Vitamin B6 : 16 gm
Vitamin B12 : 0.06 gm
Niacin : 120 gm
Calcium
Pantothenate : 60 gm
Folic Acid : 8 gm
Biotin : 32 gm
Excipients : Q.S.

Benefits :

- Covers vitamin deficiencies
- Helps to maintain
 - Optimum Health
 - Immunity
 - Growth
 - Body Weight
 - Egg Production


Indications :

- As a routine vitamin feed additive
- As a performance booster

Dosage :

250gm / ton of feed.
(or) as advised by a veterinarian.

Presentation : 25kg. bag



VITA-FORT-IB Vitamins & Mineral Supplement

Composition:

Each 2.5 Kg. contains

Vitamin A	: 80,00,000 IU
Vitamin D3	: 16,00,000 IU
Vitamin B2	: 5.0 gm.
Vitamin E	: 750 IU
Vitamin K	: 1.0 gm.
Vitamin B12	: 15.0 mg
Calcium	: 760.0 gm.
Phosphorus	: 200.0 gm.
Manganese	: 55.0 gm.
Iodine	: 2.0 gm.
Iron	: 20.0 gm.
Zinc	: 52.0 gm.
Copper	: 2.0 gm.

Cobalt	: 100.0mg.
Choline Chloride	: 300.0gm.
L-Lysine	: 10.0 gm.
DL-Methionine	: 10.0 gm.
Calcium Pantothenate	: 2.5 gm.
Nicotinamide	: 10.0 gm.

- Prevents nutritional imbalances & deficiency diseases.


INDICATIONS :

- As a routine vitamin and mineral feed additive.
- As a performance booster.

DOSAGE :

Poultry feed : 2.5 kg / ton of feed continuously (or) as advised by a Veterinarian.

Presentation : 2.5 kg.



OXIDON

The Complete Antioxidant for Compound Feeds & Feed Ingredients

COMPOSITION :

- Ethoxyquin
- Butylated hydroxyanisole
- Butylated hydroxytoluene
- Propylgallate
- Cheleates and synergistic

BENEFITS :

- Prevents all three stages of auto-oxidation
- Initiation
- Propagation
- Terminal stages
- Improves shelf life
- Prevents rancidity and odours
- Protects feed quality
- Protects vitamins
- Retains feed freshness and

- palatability
- Preserves nutrients in the feed

DOSAGE :

Feeds and raw materials - 100 gm/ton but it may be increased up to 500 gm. (or) as advised by a veterinarian.

Presentation :

1kg pouch and 25 Kg. Bags.



LIPOCARE-IB Bio-Surfactant Naturally

COMPOSITION :

Hydrolysed Lecithins
- Lysophospholipids
- Phosphatidyl choline
- Organic phosphorous
Gut Stabilizers :
in fortified activated base

Advantages :

- Improves digestibility of oil / fat of emulsification.
- Ensures optimum utilization of intact fat / triglycerides.
- Ensures higher energy bioavailability.

BENEFITS :

in Breeders :

- Stimulates early reproductive maturity.
- Better egg size.
- Better hatchability.

in Layers :

- Helps in achieving standard body weight.
- Less pullet eggs / standard eggs size.
- Standard performance with feed saving.

in Broilers :

- Co-work with less bile salt & lipase enzyme
- to digest fat globules.
- Emulsifies any oil.

- Helps in improving dressing percentage.

DOSAGE :

Broilers : 500 gm - 1kg / ton of feed
Layers : 250 gm - 500 gm / ton of feed
Breeders : 500 gm - 1 kg / ton of feed (or) as advised by an veterinarian.

Presentation :

1 kg pouch & 25 Kg. Bags.



AMMOCARE-IB For Prevention of Ammonia Production in the Birds & Farms

COMPOSITION :

Ammonil is a blend of yucca schidigera (Natural gas adsorbant) bacillus subtilis (Beneficial bacteria)

BENEFITS :

- Adsorbs the ammonia gas produced in the intestine itself and expels out.
- Expelled ammonia will be in the bound form and will not cause harm to environment.
- Prevents the production of ammonia in the gut.
- Birds feel comfort and feels nil

stress.

- Birds maintains good health, immunity, growth, body weights, egg productions etc.
- Prevents formation of noxious odours in the farm.

DOSAGE :

100 gm / ton of feed first 10 days later followed by 50gm / ton of feed continuously (or) as advised by a veterinarian.

INDICATIONS :

- As a routine ammonia control feed additive.
- As a performance booster.

Presentation : 250 gm., 1 kg.



IB-ORGANO-FS

COMPOSITION:

Origanum Vulgare (Oregano) :	25%
Alliu Sativum (Garlic) :	25%
Excipients :	QS

BENEFITS :

- It is an unique formulation of extracts of essential oils with garlic, Combined together having strong antibacterial, antiviral, antifungal, anti coccidial properties
- It having other important properties like Antioxidant, Anti-inflammatory and Immunomodulator
- It acts as a gut health improver
- Due to its antibacterial, antifungal,

Unique Formula of Essential Oils with Garlic

- antiviral and antiparasitic properties
- It helps to prevent gut pathogens & enhancing its functions at optimum level
- It having anti-inflammatory properties, hence it helps in various digestive disorders
- It keeps digestive tract healthy and optimum functional
- It helps to secrete digestive enzymes that helpful for the digestion
- It improves immunity and helps to enhance performance in broilers, layers and breeders
- In broilers it helps to achieve body weight gain also it helps to improve

- FCR
- In layers it helps to minimize stress and to optimize egg production
- It is highly recommended as a replacement of "Antibiotic Growth Promoters"
- It highly useful as a Growth Promoter & Performance Enhancer in poultry & pig.

DOSAGE : Poultry and Pig
Regular use : 250 gm / ton of feed
During gastro intestinal infections : 500 gm/ ton of feed. (Or) as advised by a Veterinarian.

Presentation : 5 kg., 25 Kg.



HERBOCOLI

COMPOSITION :

Each kg contains:

Ocimum sanctum (Tulsi) :	100 gm
Allium sativum (Garlic) :	50 gm
Zingiber officinale (ginger) :	50 gm
Trigonella foenum graecum (Fenugreek) :	50 gm
Curcuma longa (curcumin) :	100 gm
Coleus aromaticus :	50 gm
Mentha spicata :	10 gm
Terminalia chebula & Carrier :	Q.S.

BENEFITS :

- It controls E. coli infections (Colibacillosis) and other gut pathogenic infections in poultry & pig.

Herbal Remedy for E.Coli & Gut Pathogens

- It helps to maintain gastrointestinal health.
- Helps to improve feed efficiency.
- Improve nutrient absorption & FCR.
- Improve growth and weight gain in broilers and pig.
- Improve performance and productivity in layers.
- All selected herbs are having strong antibacterial and antimicrobial properties and acts as a best alternative of antibiotics used to control e. coli and gut pathogens

DOSAGE :

Add in Feed Poultry and Pig :
1 Kg / ton of feed (Or) as advised by a Veterinarian

Presentation : 5 kg., 25 Kg.



D CYCLIN-N

Composition:

Each kg. contains

Doxycycline Hcl :	20 grams
Neomycin sulphate :	20 grams
Carrier :	Q.S.

Benefits :

- Helps for * Un interrupted growth
- * Stable egg productions * Control of infections at subclinical stage
- Very effective bacteriostat for all gram positive and gram negative bacteria.
- It can be used as a supportive therapy during specific treatment for bacterial / viral / protozoan infections.

Antibiotic Growth Promoter & Feed Covertor

Indications :

- As a routine antibiotic growth promoter.
- Poor growths
- Poor body weights
- Production slumps
- As a performance booster.


Dosage :

Regular use :
As a growth promoter :
200 gms. / ton of feed.
During risk periods along with specific treatments :
500 gms. / ton of feed (or) as advised by a veterinarian.

Presentation : 1kg pouch & 25 kg. bag

Also available **D-CYCLIN**

Composition : Each kg. contains
Doxycycline HCL : 20 gm



FURA-20

Composition :

Each kg. contains
Furazolidone : 200 gm.

Benefits:

POULTRY :

- Minimises the bacterial load in the gut.
- Prevents the infections like E.coli, fowl typhoid, fowl cholera etc.
- Improves egg production in layers & weight gains in broilers.
- Controls enteritis, loose droppings & culls formations.

Furazolidone-20%

FISHERIES :

- Prevents & controles all kinds of bacterial infections.
- Improves digestion & absorption of nutrients by reducing the bacterial load in the gut.
- Increases growth & body weights.

Dosage :

POULTRY :

Preventive use :
250 gm./ton of feed - 5-7 days.
Treatment use :
500 gm-1 kg. / ton of feed - 7-10 days.
or as advised by a veterinarian.

FISHERIES :

Preventive use :
1 kg. / ton of feed - 5-7 days.
Treatment use :
2 kg. / ton of feed - 7-10 days.
or as advised by a fish consultant.

Presentation: 1kg. pouch



TYLO-10

Composition :

Each kg contains:
Tylosin phosphate : 100gms
Carrier : Q.S

Benefits:


- Helps to increase body weights
- Helps to increase egg production
- Helps to improve feed efficiency
- Helps to prevent CRD (Chronic Respiratory Disease) caused by Mycoplasma Gallisepticum

Feed Supplement

Dosage:

Broilers: 200gms / Metric ton of feed continuously
Layers: 500gram / Metric ton of feed from 16th week to 42nd week.
Breeders: 500gram / Metric ton of feed from start of laying to 42 nd week (or) as advised by a veterinarian

Presentation: 1 kg. pouch



LINCOFEED-N

Composition: Each kg. contains

Lincomycin Hcl : 10 gm
Neomycin Sulphate : 10 gm
Vitamin A : 50,000 IU
Vitamin D3 : 10,000 IU

BENEFITS:

- Broad spectrum activity and effective on both gram positive and gram negative bacteria.
- Reduces the incidence of bacterial diseases.
- Most suitable to use during viral infections to prevent the secondary bacterial infections.
- Helps to improve the growth, body weight with economical FCR in broilers.

Performance Booster & Growth Promoter (Lincomycin 1%, Neomycin 1%)

- Helps to increase the egg productions and egg quality in commercial layers.
- Helps to increase the fertility and hatchability in breeders.
- Prevents the diarrhoea of bacterial origins.

DOSAGE :

in Feed :
Broilers :
250 gm/metric ton of feed continuously.


Layers :

250 gm/metric ton-one week/a month continuously since chicks arrival to till culling of the birds.

Breeders :

500 gm/ metric ton-one week /a month continuously since chicks arrival time to till culling of the birds (or) as advised by a Veterinarian.

Presentation : 1kg, 25 kgs.



ZINCOFEED-15

COMPOSITION:

Description : Zinc Bacitracin is a new kind of anti bacterial feed supplement with stable potency and function. Zinc bacitracin is the zinc complex of bacitracin and consist of one or more of the anti microbial poly peptides produced by certain strains of bacillus lincheniformis and by bacillus subtilis.

BENEFITS :

- It is a polypeptide antibiotic & has strong anti bacterial properties on both gram positive and gram negative bacteria.
- Best and safe alternative for weight gains, feed conversion efficiency.

Zinc Bacitracin 15%-Feed Supplement

- Best growth promoter in broilers and best egg enhancer in layers.


Presentation : 1 kg., 25 kg.

Livestock :

- Helps for better growth and body weights.
- No tissue residues and no drug residues.
- Controls all mild infections due to gram positive and gram negative bacteria.

DOSAGE : 5-7 days.

Broilers : 250 gm/ton of feed
Layers : 300 gm / ton of feed
Piglets : 350 gm / ton of feed
Cattle : 750 gm / ton of feed (or) as advised by a veterinarian.



TMN-10 -FS

COMPOSITION:

Each1gm contains:
Tiamulin hydrogen fumarate : 100 mg
Carrier : Q.S.

BENEFITS:

- For the prevention of CRD in broilers, layers and breeders.
- Improves egg production in layers.
- Increases body weights in broilers.
- Increases fertility and hatchability in breeders.

Tiamulin 10% Premix

DOSAGE:

	Purpose	Age	Duration of treatment	Dosage
BROILERS	Prevention	Day-1 st , 2 nd , & 3 rd	3 days	2 Kg. / ton feed
		4 th week (day 1)	1 day	4 Kg. / ton feed
	During CRD	4 Kg. / ton feed for 3 - 5 days		
LAYERS	Prevention	Day-1 st , 2 nd , & 3 rd	3 days	2 Kg. / ton feed
		4 th week (day 1)	1 day	4 Kg. / ton feed
		9 th week (day 1)	1 day	4 Kg. / ton feed
		16 th week (day 1)	1 day	4 Kg. / ton feed
	During CRD	4 Kg. / ton feed for 3 - 5 days		

(or) as advised by a Veterinarian.

With Drawal Period : Poultry : 3-5 days after the last administration.

Presentation : 1 kg.



TMN-80-FS

COMPOSITION:

Each 1gm contains:
Tiamulin hydrogen fumarate : 800 mg
Carrier : Q.S.

BENEFITS:

- For the prevention of CRD in broilers, layers and breeders.
- Improves egg production in layers.
- Increases body weight in broilers.
- Increases fertility and hatchability in breeders.

Tiamulin 80% Premix


DOSAGE :

	Purpose	Age	Duration of treatment	Dosage
BROILERS	Prevention	Day-1 st , 2 nd , & 3 rd	3 days	250 gm. / ton feed
		4 th week (day 1)	1 day	500 gm. / ton feed
	During CRD	500gm. / ton feed for 3 - 5 days		
LAYERS	Prevention	Day-1 st , 2 nd , & 3 rd	3 days	250 gm. / ton feed
		4 th week (day 1)	1 day	500 gm. / ton feed
		9 th week (day 1)	1 day	500 gm. / ton feed
		16 th week (day 1)	1 day	500 gm. / ton feed
	During CRD	500 gm. / ton feed for 3 - 5 days		

(or) as advised by a Veterinarian.

With Drawal Period : Poultry : 3-5 days after the last administration.

Presentation : 1 kg



MADHURA-1% Feed Supplement

COMPOSITION :

Maduramicin ammonium : 1% w/w

BENEFITS :

- Best preventor of coccidiosis and more potent than other coccidiostats.
- Very safe & effective for all sps of Coccidia.
- Compatible with all kinds of chemicals, antibiotics and antimycoplasmals commonly used in poultry.
- Eliminates all stages of Coccidia i.e. Sporozoites, Trophozoites & Schizonts.
- Gives maximum protection against coccidia.

- Very safe compare to other Ionophore compounds.
- Builds more immunity and functions very well since it is added with Levamisole hydrochloride.

DOSAGE:

Layers : 500 gms. per ton of feed 1st day to 14 weeks.

Broilers : 500 gms. per ton of feed from 1st day to before 1 week of marketing (or) as advised by a poultry consultant.

Presentation: 1 kg pouch



DINTRO-IB

COMPOSITION :

3.5 Dinitro-O-Toluamide : 25%
Ethopabate : 1.6%

BENEFITS :

- Prevents the occurrence of coccidiosis.
- Controls both intestinal & caecal coccidiosis.
- Acts as growth promoter by reducing the load of eimeria oocysts in the gut.

For Prevention of Coccidiosis-Feed Supplement

DOSAGE :

Broilers : 500 gm / ton of feed continuously upto culling.

Layers (upto 14 weeks) 500 gm/ton of feed (or) as advised by a veterinarian.

Presentation : 1 kg., 10 kg., & 25 kg.






POULTRY

FEED SUPPLEMENTS

- Higher Productivity
- Better Profitability

India's Leading Manufacturer and Exporter of
Premium Quality Poultry Health Care Specialities with
INTERNATIONAL STANDARDS

PRODUCTS AVAILABLE IN



Manufactured by:

**international
BIOLOGICALS**

ISO 9001 : 2008

Corp Off: D.No.40-9-60, Kohinoor Apartments,
Kalanagar, Benzcircle, Vijayawada-520010,
AP, INDIA Cell : +91 9440159127
E-mail: intbio2000@yahoo.com